

OTHER OFFICES:
AUSTIN, TEXAS
SAN FRANCISCO, CALIFORNIA

LAW OFFICES OF
SKJERVEN, MORRILL, MacPHERSON, FRANKLIN & FRIEL LLP

25 METRO DRIVE, SUITE 700
San Jose, California 95110
(408) 453-9200

FACSIMILE (408) 453-7979

October 30, 1998

Box Patent Application

Commissioner of Patents and Trademarks
Washington, D. C. 20231

Enclosed herewith for filing is a patent application, as follows:

Inventor(s): Robert A. Foster
Title: Data Processing System For Pricing, Costing and Billing of Financial Transactions

- 0 Sheet(s) of drawings
46 page(s) Specification
4 page(s) Claims
1 page Abstract
2 page(s) Declaration/Power of Attorney
1 page(s) Recordation Cover Sheet (in duplicate)
1 page(s) Assignment
 page(s) PTO Form 1449
☒ Copy(ies) of Cited References
☐ Other:

CLAIMS AS FILED (fees computed under §1.9(f))

For	Number Filed		Number Extra		Rate		\$	Basic Fee
								790.00
Total Claims	29	-20 =	9	x	\$22	=	\$	198.00
Independent Claims	2	-3 =	0	x	\$82	=	\$	0.00
<input type="checkbox"/> Application contains one or more multiple dependent claims (\$270 total fee)							\$	0.00

Please make the following charges to Deposit Account 19-2386:

- ☒ Fee for filing the patent application in the amount of \$ 988.00
☒ The Commissioner is hereby authorized to charge any additional fees which
may be required, or credit any overpayment to Deposit Account 19-2386.

A Return Post Card and this sheet in duplicate are enclosed.

EXPRESS MAIL LABEL NO:

EL 030 413 155 US

Respectfully submitted,

Edward C. Kwok
Edward C. Kwok
Attorney for Applicant(s)
Reg. No. 33,938

Furthermore, fee arrangements change in value and structure in response to competitive situations. Fee arrangements can take many shapes, e.g., by product; by time of submission; by specified execution time; by window
5 of time between submission and execution; by transaction value; by pre-assigned payment slots; and/or by some combination of these. In addition, customers are mobile and shop for the best deals. The methods of payment, timings of payment, cash management practices and credit
10 requirements change. Also, competitors pricing strategies change. In response to these changes, FSCs need the ability to calculate pricing accordingly.

Therefore, FSCs not only need to be able to accurately measure the internal economics of the delivery
15 of each product, the margin, the value of the customer relationship overall, and how those measures are changing. The FSCs also need the flexibility to perform relationship pricing by product or across products, taking special arrangements into consideration. In the same time, the
20 FSCs need an infrastructure to keep up with the ever-changing market demands.

SUMMARY

Accordingly, the present invention includes methods
25 and systems for pricing financial transactions by first defining product rules for each financial transaction, locating appropriate product rule for a particular financial transaction, linking the product rule to corresponding price table, calculating a price using the
30 pricing method contained in the price table, and billing the appropriate party using the billing method contained in the price table. A FSC, using embodiments of the present invention, can price a particular financial

Specifically, a data processing system in accordance with one embodiment of the present invention, creates a product rule corresponding to a financial transaction. The product rule contains various attributes and is linked to a price table which contains further attributes, including pricing method and billing method. A price is calculated in accordance with the pricing method and billing is done in accordance with the billing method.

The following includes a detailed description of the best mode or modes presently contemplated by the inventor for carrying out the invention. It is to be understood that these modes are merely exemplary of the invention. The detailed description is not intended to be taken in a limiting sense.

A suitable database system for implementing a data processing system in accordance with the present invention is described in a co-pending U.S. application Serial No. 08/904,716 entitled "DATA PROCESSING SYSTEM FOR COMPLEX PRICING AND TRANSACTIONAL ANALYSIS," which is hereby incorporated by reference in its entirety. However, other database systems can be used to implement a data processing system using the methods of the present invention described herein.

First, Product Rules are defined. Product Rules are usually created for each product. (A financial transaction is denoted as a "product.") Product Rules are also created for all situations needing some form of special or custom pricing. Therefore, it is possible to have different Product Rules created for the same product but for different situations. For example, Product Rules can be created for all products, for all Billable Service Codes (BSC1/2/3/4) of each product, for all Billable Service Codes of each product for each market segment, for all Billable Service Codes of each product for each Balance Allocation Code (BAC), for all Billable Service Codes of each product for each Customer Account Analysis (CAA) group of accounts, for all Billable Service Codes of each product for each account, and for each Billable Service Code. The Product Rules are created and changed from the Product Rule detail screen (PrdtRule Detail screen).

Each Product Rule contains various attributes representing different types of information. Here, each Product Rule contains a number of attributes representing four types of information. The four types of information are: name of the Product Rule, active status of the Product Rule, how pricing and billing is to be performed and display only information about the target entities. The attributes are: Entity Name/Num, Product Code, Apply to Indic, PrdtRule Scope, Record Status, Billing Category, Billing Plan, PRICE Table Name, Special Group, Alternate Account, Alternate Account Type, Feed Indic, Collection Indic, Advising Code, Minimum Revenue Indic, Derived Volume On, Subscription Volume, Billing Cycle and Run.

The name of the Product Rule forms a unique identifier for each Product Rule. The name is constructed of four main attributes which explain when a Product Rule is used. The four mandatory attributes are Entity Name/Num, Product Code, Apply to Indic, and PrdtRule Scope. Entity Name/Num provides information such as a customer number for a customer, an account number for an

account, or a service code for a particular service. Product Code provides information as to what type of financial transaction is being done. Apply to Indic provides information as to what the Product Rule actually applies to, e.g. account or service. PrdtRule Scope provides refined details on the scope of the Product Rule. Of course, other attributes or combination may be used to form the name.

Examples will be used to illustrate how the naming convention using the four attributes named above applies.

	<u>Entity Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply to</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>
1	PBB	PBB	PRDT	DFLT
2	35	35	PRDT	DFLT
3	_____ - __CNTL	35	ACMK	DFLT
4	12345678900-01DDA	35	ACNT	DFLT
5	12345678900-01DDA	35	ACNT	1234567
6	1234567	35	SVC	DFLT

The first Product Rule "PBB-PBB-PRDT-DFLT" is the highest level of default and is activated when pricing is performed on BSC1/2/3/4 Billable Service Codes for a product which does not have a Product Rule. For example, if there are only 2 Product Rules (PBB-PBB-PRDT-DFLT and 35-35-PRDT-DFLT), then the first Product Rule "PBB-PBB-PRDT-DFLT" would be used for pricing, costing and billing of, for example, product 27.

The second Product Rule "35-35-PRDT-DFLT" is activated when pricing is performed on BSC1/2/3/4 Billable Service Codes for product 35.

The third Product Rule "_____ - __CNTL-35-ACMK_DFLT" is activated when pricing is performed on BSC1/2/3/4 Billable Service Codes for product 35 but only for accounts with account numbers which match the account wild card mask "_____ - __CNTL".

The fourth Product Rule "12345678900-01DDA-35-ACNT-DFLT" is activated when pricing is performed on BSC1/2/3/4

The fifth Product Rule "12345678900-01DDA-35-ACNT-1234567" is activated when pricing is performed

The sixth Product Rule is activated when pricing is performed specifically on BSC1/2/3/4 Billable Service Code 1234567 for product 35 for all accounts.

Active status of the Product Rule contains information about the record status of the Product Rule. The record status can be either active or dormant. A dormant state means that a Product Rule has been set up for future activation. For example, a special deal has been negotiated but will not take effect until some later date. Product Rules relating to that special deal can be created immediately but placed in a dormant mode. The data processing system will then ignore these Product Rules until they are activated on the date when the deal goes into effect. This attribute provides the flexibility of activating or deactivation a Product Rule and allows the Product Rule to remain in the data processing system while not in use.

- 6 -

information used by the data processing system to find the applicable Price Table containing prices or costs. For example, information about how pricing and billing is to be performed can include attributes such as Billing

5 Category, Billing plan, Price Tbl Name, Special Group, Alternate Account, Alternate Account Type, Feed Indicator, Collection Indicator, Advising Code, Minimum Revenue Indicator, Derived Volume On, Subscription Volume, Billing Cycle, and Run Driver.

10 Display only information about the target entities is a one-liner display on the screen that displays the applicable target entities which are referred to by the Product Rule. This information may include attributes such as Ac/BAC/Sv/Mk/Prd, Price Table detail, and
15 alternate account.

The Product Rule attributes will be described in further details in the following paragraphs.

Entity Name/Num is a mandatory attribute and can be any of the following: an account wild card mask containing
20 any mixture of alphabetic characters, numbers, a hyphen "-", wild card characters of underscore "_" (equals any single character) and a single percentage "%" (equals any zero or more characters) which can only be used as the last non blank character, an existing account number, an
25 existing BAC, an existing CAA main account number, an existing market segment, an existing product code, or an existing BSC1/2/3/4 Billable Service Code.

When Apply to Indic is not "ACMK", the Entity Name/Num value is an identifier of an entity which exists
30 on the database. When Apply to Indic is "ACMK", the account wild card mask can include any mixture of alphabetic characters, numbers, a hyphen "-", and wild card characters of underscore "_" and a single percentage "%" which can only be used as the last non blank
35 character.

Product Code is another mandatory attribute. Product Codes answer the question as to which service or product is being used. Product Codes are required in the database

and may be supplied "out of the box". For example, a Product Code of "35" is a code from Treasury Management Association (TMA) Product Families and indicates the service requested is a wire transfer transaction.

- 5 A Product Rule should be set-up for each Product the data processing system will price and cost and these Product Rules will be shown by Apply to Indic as "PRDT". A Product Rule using "PBB" as a product code provides the data processing system with a default Product Rule named
- 10 "PBB-PBB-PRDT-DFLT."

Apply to Indic is a third mandatory attribute. The value of Apply to Indic indicates the type of entity which Entity Name/Num refers to. For example, an indicator may indicate that a particular Product Rule applies only to a

15 particular account, service or customer wire transfer.

Validation rules are applied at the time of creation to check the validity of the indicator with respect to Entity Name/Num. The following table illustrates the validation rules for each Apply to Indic value.

20

<u>Apply to Indic</u>	<u>Validation performed for Entity Name/Num</u>
ACMK	An account wild card mask can use the following characters: any alphabetic characters, any numbers, a hyphen "-", any number of underscore characters "_" which represents any single character, "%" represents any zero or more characters. ("% can appear only once in the account wild card mask and must be the last non-blank character in the account wild card mask.)
ACNT	Entity Name/Num must be an existing account number.
BAC	Entity Name/Num must be an existing BAC.
CAA	Entity Name/Num must be an existing CAA main account number.
MKT	Entity Name/Num must be an existing market segment.

PRDT Entity Name/Num must be an existing product.

SVC Entity Name/Num must be an existing BSC1/2/3/4 Billable Service Code.

5 A Product Rule can exist for a CAA main account which covers all accounts in the CAA account grouping. An additional Product Rule can also exist just for the CAA main account so that this account can have exception pricing. There are some special situations when Apply To Indic is "MKT", meaning market segment, and the Entity Name/Num is a CAA.

10 For CAA individual accounts, the data processing system first attempts to find the account's market segment. If the market segment for the individual account is missing, the data processing system then attempts to find the market segment of the account's BAC.

15 For CAA main accounts, the data processing system first attempts to find the account's market segment, and if the account's market segment is missing, the data processing system then attempts to find the market segment of the account's BAC.

20 For CAA subordinate accounts, the data processing system first attempts to find the account's market segment. If the account's market segment is missing, the data processing system then attempts to find the market segment of the account's BAC. If the market segment of the account's BAC is also missing, the data processing system then attempts to find the market segment of the CAA main account. If the market segment of the CAA main account is still missing, the data processing system then attempts to find the market segment of the CAA main account's BAC.

30 PrdtRule Scope is another mandatory attribute. PrdtRule Scope contains refined details on the scope of a particular Product Rule by defining how a Product Rule is applicable to a product's BSC1/2/3/4 Billable Service Codes. The possible entries are "DFLT", "*" or a

BSC1/2/3/4 Billable Service Code. "DFLT" means the Product Rule is applicable to all of the product's BSC1/2/3/4 Billable Service Codes. Entity Name/Num values which are account wild card masks require PrdtRule Scope to be "DFLT". "*" means the Product Rule is applicable only to BSC1/2/3/4 Billable Service Codes which have a unit price in the Price Table, i.e., Price Method (Mth 1) of "U". Any other value is deemed to be a BSC1/2/3/4 Billable Service Code, meaning that the Product Rule is applicable to that particular BSC1/2/3/4 Billable Service Code only. When Subscription Volume is not blank, the BSC1/2/3/4 Billable Service Code specified in PrdtRule Scope must use a Service Role of "SUBS" on the Service Details screen.

Record Status is an optional field. Record Status displays the status of the record. Record Status value can be blank, "++" meaning a relationship is missing, "00" meaning the record is closed, "01" meaning the record is open, or "11" meaning the record is dormant.

Billing Category is an optional field. Billing Category contains information of which set of Billable Service Codes (BSC1 or BSC2 or BSC3 or BSC4) to use to bill a particular customer. When a pricing is to be performed, the data processing system uses the Product Rules to find the applicable Billing Category. The value for Billing Category can be blank, BSC1, BSC2, BSC3 or BSC4. BSC1, BSC2, BSC3 and BSC4 are billing categories provided "out-of-the-box". The data processing system performs Product Rule lookups until a non-blank Billing Category is found. Billing Category is always based on a CAA individual account or on a CAA main account. In the case of a CAA subordinate account, the Billing Category is based on its CAA main account.

Following table shows a hierarchy of how the data processing system performs Billing Category lookups.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Billing</u> <u>Category</u>
1	_____ -__CNTL	The product code	ACMK	DFLT	BSC2
2	The CAA individual or CAA main account	The product code	CAA	DFLT	?
3	The CAA individual or CAA main account	The product code	ACNT	DFLT	?
4	The BAC code	The product code	BAC	DFLT	?
5	The product code	The product code	PRDT	DFLT	BSC1
6	PBB	PBB	PRDT	DFLT	BSC1

5 "?" means the Product Rule's Billing Category. If the Product Rule's Billing Category is blank, there is no Billing Category applicable for this Product Rule and the data processing system continues to look by executing the next step until one is found.

10 Assume the data processing system needs to find the Billing Category for CAA subordinate account "1111111111-01DDA". Further assume that the product code is "35"; account is the CAA main account "22222222222-01DDA"; and the CAA main account belongs to BAC "0712301". The sequence of Product Rule lookups is performed as illustrated in the following example.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Billing</u> <u>Category</u>
1	_____	35	ACMK	DFLT	BSC2
	-__CNTL				
2	222222222222	35	CAA	DFLT	?
	-01DDA				
3	222222222222	35	ACNT	DFLT	?
	-01DDA				
4	0712301	35	BAC	DFLT	?
5	35	35	PRDT	DFLT	BSC1
6	PBB	PBB	PRDT	DFLT	BSC1

In the above example, step 6 never executes because the Product Rule lookups stop at step 5, after finding "BSC1".

Billing Plan is an optional field. Billing Plan contains information of whether the customer is billed using compensating balance method or using fee-based method or using services rendered. Service rendered is for cost only which is used to handle inter office allocations. When billing is to be performed, the data processing system uses the Product Rules to find the applicable Billing Plan. The data processing system performs Product Rule lookups until a non-blank Billing Plan is found. The lookups do not use CAA roles. Therefore, the data processing system is not interested in whether an account is a CAA individual account or a CAA main account or a CAA subordinate account.

The following table illustrates the hierarchy for Product Rules lookups for Billing Plan.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Billing</u> <u>Plan</u>
1	_____	The	ACMK	DFLT	SERV
	-__CNTL	product code			
2	The	The	SVC	The	?

	BSC1/2/3/4 Billable Service Code	product code		BSC1/2/3/4 Billable Service Code	
3	The account number	The product code	ACNT	The BSC1/2/3/4 Billable Service Code	?
4	The account number	The product code	ACNT	DFLT	?
5	The BAC code	The product code	BAC	DFLT	?
6	The product code	The product code	PRDT	DFLT	COMP
7	PBB	PBB	PRDT	DFLT	FEE

"?" means the Product Rule's Billing Plan. Billing Plan may contain the following value: blank, "COMP", "FEE", or "SERV". If Billing Plan is blank, there is no Billing Plan applicable for this Product Rule and the data processing system continues to look by executing the next step. If Billing Plan is "COMP", compensating balance is used. If Billing Plan is "FEE", pricing is fee based. If Billing Plan is "SERV", a service has been rendered and will be billed as cost only. Note that only costing is performed when the Product Rule's Billing Plan is "SERV".

When the Product Detail attribute multiple billing plans (Multiple BP's has a value of "N", the product does not use multiple Billing Plans and the Product Rule lookup starts at step 6.

Assume the data processing system needs to find the Billing Plan for account "1111111111-01DDA". Further assume the BSC1/2/3/4 Billable Service Code is "12345678" for product "10" and the account belongs to BAC "0712301".

The sequence of Product Rule lookups is performed according to the following example.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Billing</u> <u>Plan</u>
1	_____	10	ACMK	DFLT	SERV
	-__CNTL				
2	12345678	10	SVC	12345678	?
3	111111111111-	10	ACNT	12345678	?
	01DDA				
4	111111111111-	10	ACNT	DFLT	?
	01DDA				
5	0712301	10	BAC	DFLT	?
6	10	10	PRDT	DFLT	COMP
7	PBB	PBB	PRDT	DFLT	FEE

5 In the above example, step 7 never executes for product 10 because the Product Rule lookups stop at step 6, after finding "COMP".

PRICE Tbl Name is an optional field. A Product Rule refers to a Price Table using its PRICE Tbl Name field.

10 PRICE Tbl Name may contain a value of blank, any four-character combination, or "AUTO".

When PRICE Tbl Name is a four-character field, e.g. not blank and not "AUTO", the value must be the name of an existing Price Table. For example, if PRICE Tbl Name is
15 "PB01", this Product Rule uses the Price Table named "PB01" for its prices. If PRICE Tbl Name is "PB24", this Product Rule uses the Price Table named "PB24" for its prices.

20 When there are few exception pricing situations, four-character Price Table names are adequate and simple to manage. However, when there are hundreds or even thousands of exception pricing situations, a more obvious and apparent method of naming is needed for users to be able to see where a current Price Table fits, which
25 Product Rule it belongs to and the boundaries of its jurisdiction. In these cases, the Price Table name can be

set to match the Product Rule name by using the value
"AUTO" in the Product Rule's PRICE Tbl Name field. For
example, if PRICE Tbl Name is "AUTO", this Product Rule
uses the Price Table which matches its identifier made up
of the four attributes: Entity Name/Num + Product Code +
Apply to Indic + PrdtRule Scope. "AUTO", therefore, is a
special name. "AUTO" can only be used when Apply to Indic
is "ACNT" or "CAA", and when Pricing Schema of the Price
Table is "PRIC".

If PRICE Tbl Name is blank in a Product Rule, it
means that this Product Rule does not get used for prices
but can get used for its remaining features. Many Product
Rules and many price Tables can be involved in a single
pricing. However, a Price Table is only used if a Product
Rule refers to it. Therefore, Price Tables which are not
referred to by Product Rules are never used in pricing,
i.e., they are dormant.

When a pricing is to be performed, the data
processing system needs to be able to find the applicable
Product Rules and Price Tables so that a price and cost
can be calculated for a BSC1/2/3/4 Billable Service Code.
The data processing system performs Product Rule lookups
until a non-blank PRICE Tbl Name is found.

The following example shows how a Product Rule's
PRICE Tbl Name is used to match with the Price Table's
Entity Name/Num. If the values of the PRICE Tbl Name and
Entity Name/Num are the same, the PRICE Tbl Name and
Entity Name/Num match.

Product Rule:

<u>Entity Name/Num</u>	<u>Product</u>	<u>Apply to</u>	<u>PrdtRule</u>	<u>PRICE Tbl</u>
	<u>Code</u>	<u>Indic</u>	<u>Scope</u>	<u>Name</u>
1234567	35	SVC	DFLT	PB01
_____ - __CNTL	35	ACMK	DFLT	PB24

Price Table:

<u>Entity Name/Num</u>	<u>Product</u>	<u>Apply to</u>	<u>PrdtRule</u>
	<u>Code</u>	<u>Indic</u>	<u>Scope</u>
PB01	35	blank	blank
PB24	35	blank	blank

The following example shows how a Product Rule's PRICE Tbl Name of "AUTO" is used to match with Product Rule's identifier with a Price Table's identifier.

Product Rule:

<u>Entity Name/Num</u>	<u>Product</u>	<u>Apply to</u>	<u>PrdtRule</u>	<u>PRICE Tbl</u>
	<u>Code</u>	<u>Indic</u>	<u>Scope</u>	<u>Name</u>
12345678900-01DDA	35	ACNT	DFLT	AUTO
12345678900-01DDA	35	ACNT	1234567	AUTO

Price Table:

<u>Entity Name/Num</u>	<u>Product</u>	<u>Apply to</u>	<u>PrdtRule</u>
	<u>Code</u>	<u>Indic</u>	<u>Scope</u>
12345678900-01DDA	35	ACNT	DFLT
12345678900-01DDA	35	ACNT	1234567

The sequence and hierarchy of Product Rule lookups for PRICE Tbl Name is as follows:

<u>Step</u>	<u>Entity</u>	<u>Product</u>	<u>Apply To</u>	<u>PrdtRule</u>	<u>PRICE</u>
	<u>Name/Num</u>	<u>Code</u>	<u>Indic</u>	<u>Scope</u>	<u>Tbl Name</u>
1	_____	The	ACMK	DFLT	C001
	-__CNTL	product			
		code			
2	The	The	SVC	The	?
	applicable	product		BSC1/2/3/4	
	BSC1/2/3/4	code		Billable	
	Billable			Service	
	Service Code			Code	
3	The CAA	The	ACNT	The	?
	individual	product		BSC1/2/3/4	
	or CAA	code		Billable	

	subordinate account			Service Code	
4	The CAA individual or CAA subordinate account	The product code	ACNT	*	?
5	The CAA individual or CAA main account	The product code	CAA	The BSC1/2/3/4 Billable Service Code	?
6	The CAA individual or CAA main account	The product code	CAA	*	?
7	The CAA individual or CAA subordinate account	The product code	ACNT	DFLT	?
8	The CAA individual or CAA main account	The product code	CAA	DFLT	?
9	The BAC of the CAA individual or CAA main account	The product code	BAC	DFLT	?
10	The market segment of the account	The product code	MKT	DFLT	?
11	The product code of the BSC1/2/3/4 Billable Service Code	The product code	PRDT	DFLT	S001

12 PBB PBB PRDT DFLT S001

"The CAA individual or CAA subordinate account" means the account's CAA Role is either "INDIV" or "SUB". "The CAA individual or CAA main account" means the account's CAA Role is either "INDIV" or "MAIN". In the case of a CAA subordinate account, its CAA main account number is used.

"The market segment of the account" means that for CAA individual accounts, the data processing system first attempts to find the account's market segment. If CAA individual account's market segment is missing, the data processing system then attempts to find the market segment of the account's BAC.

For CAA main accounts, the data processing system first attempts to find the account's market segment. If the account's market segment is missing, the data processing system then attempts to find the market segment of the account's BAC.

For CAA subordinate accounts, the data processing system first attempts to find the account's market segment. If the account's market segment is missing, the data processing system then attempts to find the market segment of the account's BAC. If the market segment of the account's BAC is also missing, the data processing system then attempts to find the market segment of the CAA main account. If the market segment of the CAA main account is still missing, the data processing system then attempts to find the market segment of the CAA main account's BAC.

"?" means the Product Rule's PRICE Tbl Name. If "?" is blank, there is no Price Table applicable for this Product Rule. If "?" is "AUTO", the data processing system constructs the identifier of the Price Table. If the Price Table with the constructed identifier does not exist, there is no Price Table applicable for this Product Rule. If "?" contains any other value, this value is the identifier of the Price Table. "C001" is a Price Table

provided "out of the box" and contains sample costs.
"S001" is a Price Table provided "out of the box" and contains sample prices.

- 5 "*" in PrdtRule Scope means if the BSC1/2/3/4 Billable Service Code actually has a unit price in the Price Table, i.e., Price Method (Mth 1) of "U".

Assume the data processing system is performing a pricing for BSC1/2/3/4 billable Service Code "12345678". Further assume the account is "1111111111-01DDA";

- 10 BSC1/2/3/4 Billable Service Code "12345678" belongs to product code "35"; account '1111111111-01DDA' is a CAA subordinate account and its CAA main account is "2222222222-01DDA"; the CAA main account belongs to BAC "0712301"; and the CAA main account belongs to market
15 segment "OTHER". The sequence of Product Rule lookups is performed as illustrated in the following examples, until a non-blank PRICE Tbl Name is found.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>PRICE Tbl</u> <u>Name</u>
1	_____ -__CNTL	35	ACMK	DFLT	C001
2	12345678	35	SVC	12345678	?
3	1111111111- 01DDA	35	ACNT	12345678	?
4	1111111111- 01DDA	35	ACNT	*	?
5	2222222222 -01DDA	35	CAA	12345678	?
6	2222222222 -01DDA	35	CAA	*	?
7	1111111111- 01DDA	35	ACNT	DFLT	?
8	2222222222 -01DDA	35	CAA	DFLT	?
9	0712301	35	BAC	DFLT	?
10	OTHER	35	MKT	DFLT	?
11	35	35	PRDT	DFLT	S001

12 PBB PBB PRDT DFLT S001

Special Group is an optional field. Special Group can be blank, "Y" or "N". This attribute can only be "Y" if Price Table has a four-character name (not "AUTO") and the schema of the price table is "BNDL".

Alternate Account is an optional field. When billing is to be performed, the data processing system uses the Product Rules to find Alternate Accounts. The data processing system performs Product Rule lookups to find whether there is an applicable Alternate Account. If there is an Alternate Account, even if a match has been found, a different account may be billed instead. Alternate Account may have a value of blank or an account number.

When Alternate Account is blank, there is no Alternate Account applicable for this Product Rule and the data processing system continues to look by executing the next step. When Alternate Account is non-blank, the value must be an account which exists on the database and Alternate Account Type must be either "C" when the Apply To Indic is "SVC" or "F" when the Apply To Indic is "ACNT".

In the first example, assume the data processing system needs to find whether there is an Alternate Account for "11111111777-01DDA". Further assume that BSC1/2/3/4 Billable Service Code "ABC050" which belongs to product "05", is being used. Then, the Product Rules lookup stops at step 2 after finding an Alternate Account for the BSC1/2/3/4 Billable Service Code.

30

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply</u> <u>To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Alternate</u> <u>Account</u>	<u>Alternate</u> <u>Account</u> <u>Type</u>
1	11111111 777- 01DDA	05	ACNT	DFLT	blank	blank
2	ABC050	05	SVC	ABC050	010091111	C

1111-
01CNTL

Using slightly different Product Rules, the Product Rules lookup in the next example stops at step 1 after finding an Alternate Account for the Entity Name/Num.

5

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply</u> <u>To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Alternate</u> <u>Account</u>	<u>Alternate</u> <u>Account</u> <u>Type</u>
1	11111111 777- 01DDA	05	ACNT	DFLT	111145678 88-01DDA	F
2	ABC050	05	SVC	ABC050	010091111 1111- 01CNTL	C

Using slightly different Product Rules in this example, the Product Rules lookup stops at step 2 having found no applicable Alternate Account.

10

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply</u> <u>To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Alternate</u> <u>Account</u>	<u>Alternate</u> <u>Account</u> <u>Type</u>
1	11111111 777- 01DDA	05	ACNT	DFLT	blank	blank
2	ABC050	05	SVC	ABC050	blank	blank

Alternate Acnt Type is an optional field. Alternate Acnt Type has a value of blank, "F" or "C". When Alternate Account is non-blank, Alternate Account Type must be either "C" when the Apply To Indic is "SVC" or "F" when the Apply To Indic is "ACNT". "C" means the BSC1/2/3/4 Billable Service Code is a cost only service to the BAC. The BSC1/2/3/4 Billable Service Code is allocated to a control account whenever this BSC1/2/3/4 Billable Service Code is used. "F" means the BSC1/2/3/4

Billable Service Codes for this account will be allocated to the Alternate Account.

Product Rule lookups for Alternate Account Type are similar to that discussed above for Alternate Account.

5 Fee Indicator is an optional field and is dormant.

Collection Indicator is an optional field. When billing is to be performed, the data processing system uses the Product Rules to find the applicable Collection Indicator. The data processing system performs Product
10 Rule lookups until a non-blank Collection Indicator is found. The lookups do not use CAA roles. Therefore, the lookups are not interested in whether an account is a CAA individual account or a CAA main account or a CAA subordinate account.

15 The sequence and hierarchy of Product Rule lookups for Collection Indicator is as follows:

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Collection</u> <u>Indic</u>
1	_____	The product code	ACMK	DFLT	OTHR
	-__NOS%				
2	The account number	The product code	ACNT	The BSC1/2/3 /4 Billable Service Code	?
3	The BSC1/2/3/4 Billable Service Code	The product code	SVC	The BSC1/2/3 /4 Billable Service Code	APP1
4	The account number	The product code	ACNT	DFLT	?
5	The product	The	PRDT	DFLT	APP2

	code	product			
		code			
6	PBB	PBB	PRDT	DFLT	APP2

"?" means the Product Rule's Collection Indicator.
If "?" is blank, there is no Collection Indicator applicable for this Product Rule and the data processing system continues to look by executing the next step.
Collection Indicator values may be: Blank, "APP1", "APP2", or "OTHR".

Assume the data processing system needs to find the Billing Category for account "1111111111-01SAV". Further assume that the BSC1/2/3/4 Billable Service Code is "12345678" for product "10". The sequence of Product Rule lookups is performed as illustrated in the following examples, until a non-blank Collection Indicator is found.

Step	Entity Name/Num	Product Code	Apply To Indic	PrdtRule Scope	Collection Indic
1	_____	10	ACMK	DFLT	OTHR
	-__NOS%				
2	1111111111-01SAV	10	ACNT	12345678	?
3	12345678	10	SVC	12345678	APP1
4	1111111111-01SAV	10	ACNT	DFLT	?
5	10	10	PRDT	DFLT	APP2
6	PBB	PBB	PRDT	DFLT	APP2

In the above example, step 6 does not execute because the Product Rule lookups stops at step 5, after finding "APP2".

Advising Code is an optional field. When billing is to be performed, the data processing system uses the Product Rules to find the Advising Code. The data processing system performs Product Rule lookups to find whether there is an applicable Advising Code.

Advising Code may have a value of blank, "1", "2", "3", "4", or "5". When Advising Code is blank, there is no Advising Code applicable for this Product Rule. "1" means balance based but with no statement. "2" means balance based by statement. "3" means fee based but with no statement. "4" means fee based by statement. "5" means fee based by invoice.

Assume the data processing system needs to find whether there is an Advising Code for product "05" for account "11111111777-01DDA". Using sample values for Advising Code, the Product Rules lookup would find that there is no applicable Advising Code in the first entry and the Advising Code is "1" in the second entry.

<u>Entity</u>	<u>Product</u>	<u>Apply To</u>	<u>PrdtRule</u>	<u>Advising</u>
<u>Name/Num</u>	<u>Code</u>	<u>Indic</u>	<u>Scope</u>	<u>Code</u>
11111111777-01DDA	05	ACNT	DFLT	blank
11111111777-01DDA	05	ACNT	DFLT	1

Minimum Revenue Indicator is an optional field. When pricing is to be performed, the data processing system uses the Product Rules to find the applicable Minimum Revenue Indicator. The data processing system performs Product Rule lookups until a non-blank Minimum Revenue Indicator is found. The lookups use CAA roles. Hence, when an account has the CAA Role of CAA subordinate account, they may use its CAA main account during the lookup.

The sequence and hierarchy of Product Rule lookups is as follows:

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Minimum</u> <u>Revenue</u> <u>Indicator</u>
1	The account number	The product code	ACNT	The BSC1/2/3/4 Billable Service Code	?
2	The account number	The product code	ACNT	*	?
3	The account number	The product code	ACNT	DFLT	?
4	The CAA main account number	The product code	CAA	The BSC1/2/3/4 Billable Service Code	?
5	The CAA main account number	The product code	CAA	*	?
6	The CAA main account number	The product code	CAA	DFLT	A

"?" means the Product Rule's Minimum Revenue Indicator and may be blank, "A" or "V". If "?" is blank, there is no Collection Indicator applicable for this Product Rule and the data processing system continues to look by executing the next step. "A" indicates to always apply minimum even if no activity occurred for the BSC1/2/3/4 Billable Service Code. "V" means to only apply minimum when activity occurred for the BSC1/2/3/4 Billable Service Code.

When the account uses a CAA Role of a CAA Individual Account, only steps 1, 2 and 3 are applicable. When the account uses a CAA Role of a CAA Main Account, all the steps are applicable. When the account uses a CAA Role of a CAA Subordinate Account, steps 1, 2 and 3 use the account number of the CAA Subordinate Account; and steps 4, 5 and 6 use the account number of its CAA Main Account.

For the next example, assume the data processing system needs to find the Minimum Revenue Indicator for account "22221111177-01DDA". Further assume that the account uses a CAA Role of a CAA Main Account and the BSC1/2/3/4 Billable Service Code is "12345678" for product "10". Using sample values for Minimum Revenue Indicator, the Product Rules lookup in the next example stops at step 4 after finding the value "V".

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Minimum</u> <u>Revenue</u> <u>Indicator</u>
1	22221111177 -01DDA	10	ACNT	12345678	blank
2	22221111177 -01DDA	10	ACNT	*	blank
3	22221111177 -01DDA	10	ACNT	DFLT	blank
4	22221111177 -01DDA	10	CAA	12345678	V
5	22221111177 -01DDA	10	CAA	*	blank
6	22221111177 -01DDA	10	CAA	DFLT	A

In the next example, the Product Rules lookup uses steps A1, A2, A3, A4, A5 and A6 but stops at step A4 after finding the value "V" for the CAA Subordinate Account. The Product Rules lookup then uses steps B1, B2, B3, B4, B5 and B6, then stops at step B2 after finding a different value of "A" for the CAA Main Account .

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Minimum</u> <u>Revenue</u> <u>Indicator</u>
A1	111111111111 -01DDA	10	ACNT	12345678	blank
A2	111111111111 -01DDA	10	ACNT	*	blank
A3	111111111111 -01DDA	10	ACNT	DFLT	blank
B1	22221111177 -01DDA	10	ACNT	12345678	blank
B2	22221111177 -01DDA	10	ACNT	*	A
B3	22221111177 -01DDA	10	ACNT	DFLT	blank
A/B4	22221111177 -01DDA	10	CAA	12345678	V
A/B5	22221111177 -01DDA	10	CAA	*	blank
A/B6	22221111177 -01DDA	10	CAA	DFLT	A

Derived Volume On is an optional field. The use of
Derived Volume On attribute is dormant. Derived Volume
5 has a value of blank or "Y" meaning derived volume is on.

Subscription Volume is an optional field. When
pricing is to be performed, the data processing system
uses the Product Rules to find the Subscription Volume.
Subscription Volume contains a numeric value. The data
10 processing system performs Product Rule lookups to find
whether there is an applicable Subscription Volume. When
Subscription Volume is not blank, PrdtRule Scope must be a
BSC1/2/3/4 Billable Service Code and that BSC1/2/3/4
Billable Service Code must use a Service Role of "SUBS" on
15 the Service Details screen.

The Product Rule lookups is as follows:

"?" is Subscription Volume. Usually, the Subscription Volume number is "1" and is used in the [price * volume] calculation to determine revenue. For billing, Subscription Volume can be suppressed on the BILLFEED output if the BSC1/2/3/4 Billable Service Code's Suppress Feed Vol is "Y" on the Service Details screen. BILLFEED output is an output file produced by the data processing system which contains the complete details of what customers re to be billed. The Service Details screen is a screen provided as part of the data processing system which users use to define attributes of each Service code, including the BSC1/2/3/4 Billable Service Codes.

Billing Cycle and Run are optional fields. When billing is to be performed, the data processing system uses the Product Rules to find the Billing Cycle and Run applicable for each product. The data processing system performs Product Rule lookups to find the applicable Billing Cycle and Run.

<u>Step</u>	<u>Entity</u>	<u>Product</u>	<u>Apply To</u>	<u>PrdtRule</u>	<u>Billing</u>	<u>Run</u>
	<u>Name/Num</u>	<u>Code</u>	<u>Indic</u>	<u>Scope</u>	<u>Cycle</u>	
1	The product code	The product code	PRDT	DFLT	?	?
2	PBB	PBB	PRDT	DFLT	ML	1

Billing Cycle may contain a value of blank or "ML".
"ML" means bill monthly. When Billing Cycle is blank, Run
must also be blank. When both Billing Cycle and Run are
blank, there is no Billing Cycle and Run applicable for
5 this Product Rule and the data processing system continues
to look.

Run has a value of blank or "1". "1" means billing
run 1. Billing Cycle and Run are either both non-blank or
both blank.

10 For the following example, assume the data processing
system needs to find the Billing Cycle & Billing Run for
product "10". The Product Rules lookup stops at step 2.

<u>Step</u>	<u>Entity</u> <u>Name/Num</u>	<u>Product</u> <u>Code</u>	<u>Apply To</u> <u>Indic</u>	<u>PrdtRule</u> <u>Scope</u>	<u>Billing</u> <u>Cycle</u>	<u>Run</u>
1	10	10	PRDT	DFLT	blank	blank
2	PBB	PBB	PRDT	DFLT	ML	1

15 One-Liner for Ac/BAC/Sv/Mk/Prd is a display only
based on the values of Entity Name/Num and Apply to Indic.
Ac/BAC/Sv/Mk/Prd is used to provide more information about
the Entity Name/Num and the details are derived based on
the values of Entity Name/Num and Apply To Indic.

20 Therefore, users cannot change this item.

One-Liner for Price Table Dtl is a display only.
This One-Liner displays selected attributes of the Price
Table record. Price Table Dtl is used to provide more
information about the applicable Price Table which is
25 helpful when users are using complex Product Rules with
the "AUTO" value. The details are derived based on the
value of Price Tbl Name. Therefore, users cannot change
this item.

On-Liner for Alternate Acnt is a display only.
30 Alternate Acnt One-Liner displays selected attributes of
the Alternate Account record and is used to provide more
information about the applicable Alternate Account. The
details are derived based on the value of Alternate Acnt.
Therefore, users cannot change this item.

Some attribute fields cannot be updated because they contain information about the name of a Product Rule. To change these attribute fields, the user needs to delete the Product Rule, for example, by using SF8-Delete
5 function key. The user then needs to make the necessary changes and insert the new Product Rule, for example, by using F8-Insert function key. For example, Entity Name/Num, Product Code, Apply to Indic and cannot be updated unless using the method described above.

10 Some fields cannot be updated because they are derived by the data processing system based on the name of the Product Rule. These fields are the One-Liner displays of the entities referred to by the Product Rule, such as Ac/BAC/Sv/Mk/Prd, Price Table Dtl and Alternate Acnt.

15 The data processing system may use software to store Product Rules which have been used during the session in its program memory area. This improves pricing and costing performance. However, when updating Product Rules, the change is not re-loaded into the program memory
20 area for a time delay, which can be up to 60 seconds.

Before an update is committed to the database, the data processing system validates the Product Rule. The validation is the same as performed for an insert.

For pricing purposes, Price Tables are used. Product
25 Rules interact with Price Tables to provide a comprehensive set of pricing combinations and to enable sophisticated exception pricing. A Product Rule can only refer to one Price Table. Product Rules which refer to a Price Table use that Price Table.

30 The Price Table can contain prices or costs, mutually exclusive, depending on the Schema of the Price Table. For example, a Schema of "COST" means that the Price Table contains only costs; a Schema of "STD" or "PRIC" means that the Price Table contains only prices; a Schema of
35 "BNDL" means a Price Table for bundled pricing which contains prices to be used for the Pricing Method known as Cross CAA/Bundled Tiering.

Each Price Table containing prices is related to a Price Table containing costs. The mandatory field for Price Tables containing prices is blank for Price Tables containing costs. Cost Table field is the Entity Name of the Price Table containing costs. The price/cost contained within the Price Table may be a negative value. Price/cost Table Maintenance screen shows the prices and/or costs of a Price Table.

Each Price Table must nominate a Product. The Price Table applies only to BSC1/2/3/4 Billable Service Codes of that Product. The same Price Table name (Entity Name) can be used for different Products.

Exception price tables ("PRIC") can be created for an account, or a CAA (i.e., the main account of a grouping of accounts). Exception price tables are set up for accounts and CAA's to enable exception pricing to be performed for specific BSC1/2/3/4 Billable Service Codes of an account or across accounts within a CAA grouping of accounts. In order to enable exception pricing to be performed, the following Product Rule attributes are required: Auto Name, Apply To, Scope and Schema. In general, Price Tables contain the following attributes: Entity Name, Product, Apply To, Scope, Auto Name, Schema, Category, Description, Currency Code, Alias, Valid From Date, Minimum, No of Tiers, GoTo, Cost Table, Services List, Service, Description, Role, Amount, Price Method (Mth 1) & Apply To Group (Mth 2), Bundle Primary/Secondary (Bnd 1) & Bundle Character (Bnd 2), and Cat.

Entity Name is a mandatory field. When Auto Name is blank, the Price Table is a generic Price Table and Entity Name must be four characters. When Auto Name is "Y", the Price Table is an exception Price Table and the value of Entity Name is used to match with a record in Product Rules. If the Price Table is an exception Price Table, the Entity Name must have the value of an account, or a CAA (i.e., the main account of a grouping of accounts).

Product is a mandatory field. Product means a TMA Product Family. The Price Table applies to BSC1/2/3/4 Billable Service Codes of this Product only.

When a Price Table is to be created for a Product,
5 Service Details screen may be used to confirm that
BSC1/2/3/4 Billable Service Codes for this Product and
Billing Category are operational as indicated by Record
Status. If the Record Status is dormant and the user
desires to make a service operational, the user needs to
10 update the Record Status to active, Logoff and then Logon
again.

Price Table attribute Apply To is blank for Generic
Price Tables. For exception Price Tables, Apply To
indicates whether an exception Price Table is applicable
15 to an account or a CAA. In this case, Auto Name must be
"Y" and Apply To value must be either "ACNT" for an
account or "CAA" for a CAA (i.e., the main account of a
grouping of accounts).

Scope indicates how Apply To is used and is used only
20 for exception Price Tables. To use Scope, Auto Name must
be "Y" and the values for Scope must be "DFLT", a
BSC1/2/3/4 Billable Service Code, or "*". When Scope is
not "DFLT" or "*", the content of Scope is treated as a
BSC1/2/3/4 Billable Service Code.

25 The following table summarizes allowed values based
on the content of Auto Name.

<u>Auto</u> <u>Name</u>	<u>Schema</u>	<u>Entity Name</u>	<u>Product</u>	<u>Apply</u> <u>To</u>	<u>Scope</u>
Blank	"STD"	Must be 4 characters	Mandatory	Blank	Blank
Blank	"PRIC"	Must be 4 characters	Mandatory	Blank	Blank
Blank	"BNDL"	Must be 4 characters	Mandatory	Blank	Blank
Blank	"RBAT"	Must be 4 characters	Mandatory	Blank	Blank
Blank	"COST"	Must be 4	Mandatory	Blank	Blank

		characters		
"Y"	"PRIC"	An account	Mandatory	"ACNT" A
		number or a		or BSC1/2/3/4
		CAA account		"CAA" Billable
		number		Service
				Code, or
				"*", or
				"DFLT"

Category indicates which set(s) of BSC1/2/3/4 Billable Service Codes are applicable for the Price Table. When Amounts are recorded against BSC1/2/3/4 Billable Service Codes of a Billing Category, those Amounts will be retained on the database when Billing Category of a Price Table is updated to exclude them. Those Amounts are simply made dormant by the data processing system and can be made active by making that Billing Category active again. For example, when Billing Category is set to ALL and Amounts are entered against BSC2 Billable Service Codes. Billing Category is then changed to BSC1. Those Amounts entered against BSC2 Billable Service Codes are retained and can be made active again by changing Billing Category to "ALL", "BOTH" or "BSC2".

Price Table attribute Description is in free form text.

Price Table attribute Currency Code is a dormant field and may be activated if desired.

Price Table attribute Alias is another dormant field.

Valid From Date is an optional field in the form mmm yyyy, e.g., "Jan 1998". Valid From Date is used to create different sets of Amounts. Each set of Amounts is applicable from the Valid From Date until the next Valid From Date. The use of the Valid From Date field is important to billing, adjustment processing and what-if analysis queries.

When Valid From Date is blank, the Amounts are applicable as of "the dawn of time" until the next (if any) Valid From Date for that Price Table. Using "the

dawn of time" enables "what-if" pricing and costing to be performed using historical Price Tables. When there is no next Valid From Date, the Amounts are applicable until "the end of time". Using "the end of time" enables "what-if" pricing and costing to be performed using Price Tables which will become effective at a future date. The data processing system contains screens which users use to perform pricing and costing online. The screens allow dates to be specified for the effective date of prices, the effective date of costs and the effective date of the BSC1/2/3/4 Billable Service Codes. These effective dates can be past, present or future or any combination. Hence the data processing system provides "what-if" pricing and costing.

Minimum is an optional field, used to define pricing tiers for tiered discounting and volume discounting. Each BSC1/2/3/4 Billable Service Code in each tier can use a different Amount. The use of Minimum is illustrated in the examples below.

<u>Tier</u>	<u>Minimum</u>	<u>BSC1/2/3/4</u> <u>Billable</u> <u>Service</u> <u>Code</u>	<u>Included</u> <u>in this</u> <u>tier</u>	<u>Amount</u>	<u>Price Method</u> <u>(Mth 1)</u>
1	1	1234567	Yes	7.0000	T
2	15	1234567	Yes	7.5400	T
3	25	1234567	Yes	7.4000	T

In the above example, BSC1/2/3/4 Billable Service Code 1234567 uses three tiers. The first tier is effective for the first fourteen. The second tier is effective for the next ten. The third tier is effective for the remainder. Each tier in this example uses the same Price Method (Mth 1) of "T".

The first tier usually commences with Minimum value of "1". A first tier commencing with Minimum value of "0" is a special case and will be discussed later. There is a limit of 99 tiers. Another limitation is that the Price

Method (Mth 1) for a BSC1/2/3/4 Billable Service Code must be the same for all tiers of that BSC1/2/3/4 Billable Service Code.

To change Minimum, the procedure is as follows:

- 5 delete the record; change Minimum; and insert the record.

When a BSC1/2/3/4 Billable Service Code does not appear in any preceding tier, pricing for that BSC1/2/3/4 Billable Service Code will only commence when the quantity of that BSC1/2/3/4 Billable Service Code reaches the

- 10 Minimum. The next example illustrates this point.

<u>Tier</u>	<u>Minimum</u>	<u>BSC1/2/3/4 Billable Service Code</u>	<u>Included in this tier</u>	<u>Amount</u>	<u>Price Method (Mth 1)</u>
1	1	1234567	Skipped	None	None
2	10	1234567	Yes	1.8000	T
3	20	1234567	Yes	0.0000	T
4	30	1234567	Skipped	None	None
5	40	1234567	Yes	1.6000	T

If the quantity of BSC1/2/3/4 Billable Service Code 1234567 is 120, the price is calculated as follows:

- 15

<u>Tier</u>	<u>Quantity</u>	<u>Tier Amount</u>	<u>Price calculated</u>
1	9	None	None
2	10	1.8000	19 * 1.8000
3	10	0.0000	10 * 0.0000
4	10	0.0000	10 * 0.0000
5	81	1.6000	1.6000 * 81

Each method can be further qualified by up to three other indicators (each a single character). The additional indicators are ApplyToGroup,

- 20 Primary/SecondaryFlag and BundleChar. Following are some rules that apply to any given price unit record:

<u>Minimum</u>	<u>Pricing Methods</u>	<u>Apply To</u>	<u>Primary/</u>	<u>Bundle</u>
----------------	------------------------	-----------------	-----------------	---------------

	<u>Allowed (Mth 1)</u>	<u>Grp (Mth 2)</u>	<u>Secondary</u> <u>(Bnd 1)</u>	<u>Character</u> <u>(Bnd 2)</u>
0	M	n/a	P, S, * or blank	0-9, A-Z or blank
1	All except M	Y, N or blank (=Y)	n/a	n/a
>1	T, V, \$ or L	Y, N or blank (=Y)	n/a	n/a

Different Pricing Methods against the same service at different Minimums (not counting Minimum of zero) is not allowed. All higher Minimums must match the Pricing

- 5 Method for a service at Minimum of 1. Other limitations include: only one Primary per Bundle Character; Secondaries must be Price Method of "M"; Secondaries must be zero price; each + service can have a different markup; bundling is only allowed for Pricing Method of "M"; and if
- 10 Pricing Method "F" is used on a service, Minimum must be "1" and no other entry can exist for that service, regardless of Minimum or Pricing Method.

No of Tiers is a display only field.

- GoTo is an optional field. By entering a value, the
- 15 user can use the SpgDn-GoTo function key to display BSC1/2/3/4 Billable Service Codes starting with the nearest matching BSC1/2/3/4 Billable Service Code at the top of the list of BSC1/2/3/4 Billable Service Codes. Other values for GoTo attribute are "TOP" to display the
- 20 first page of the BSC1/2/3/4 Billable Service Codes list; spaces to display the first page of the BSC1/2/3/4 Billable Service Codes list; "BOT" to display the last page of the BSC1/2/3/4 Billable Service Codes list; and "zzzzzzzz" to display the last page of the BSC1/2/3/4
- 25 Billable Service Codes list.

Services List is a list of BSC1/2/3/4 Billable Service Codes. For each item, the following fields are shown: Service, Service Description, Role, Amount, Price Method (Mth 1) & Apply To Group (Mth 2), Bundle

Primary/Secondary (Bnd 1) & Bundle Character (Bnd 2), and Cat.

Service shows the BSC1/2/3/4 Billable Service Code as shown on the Service Details screen. Description is

5 Description as shown on the Service Details screen. Role is Service Role as shown on the Service Details screen. Role can have the following value: BAL (Balance), BICA(Actual Basic Item), BICD (Derived Basic Item), BICS (Special Derived Basic Item), COST(Cost Only), DOSS
10 (Daylight Overdraft), DRCT(Direct Expense Allocation), FLOT (Float), MIS (MIS Information), MTRV (Minimum Revenue (x-services)), NA (None (FSC & TSC)), NORM (Normal Service), REJ% (% Rejects), RFR\$ (Rebate \$ Basis), RFR% (Rebate % Basis), RFT (Rebate % Total Revenue), SERV
15 (Inter Office Allocation), SUBS (Subscription), THSH (Threshold Revenue), TP-\$ (Totally Priced,) TP-% (Totally Priced (mark-up), TP-C (Totally Priced (collected)), TP-D (Totally Priced (deduct fee)), TP-M (Totally Priced (MIS deduct fee)), TP-R (Totally Priced (referral deduct fee)),
20 or TP-U (Totally Priced (uncollected)).

Amount is a price or cost amount and is shown as 14 digits plus 4 decimal places. When an Amount is entered, Price Method (Mth 1) must also be entered.

Amount is treated as a "hard zero amount", meaning
25 the Amount is priced as zero when Amount is blank or "0" and Price Method (Mth 1) is "V" or "T" or Price Method (Mth 1) is "U" and Scope is "*".

Following is a sample Price Table and contains the following data:

30

<u>Tier</u>	<u>Minimum</u>	<u>BSC1/2/3/4</u> <u>Billable</u> <u>Service</u> <u>Code</u>	<u>Included</u> <u>in this</u> <u>tier</u>	<u>Amount</u>	<u>Price</u> <u>Method</u> <u>(Mth 1)</u>
1	1	1234567	Skipped	None	None
2	10	1234567	Yes	1.8000	T
3	20	1234567	Yes	0.0000	T
4	30	1234567	Skipped	None	None

5

10

20

25

30

- 38 -

Code for the entire group of accounts. Hence, volume discounting is performed on the group of accounts collectively.

For an Apply To Group (Mth 2) Value of blank, this method applies to group and the Price Method (Mth 1) Value can be any. The quantity for this BSC1/2/3/4 Billable Service Code is totaled as a single bundle across all accounts in the group. The total of the bundle is then used for pricing of this BSC1/2/3/4 Billable Service Code for the entire group of accounts. Hence, volume discounting is performed on the group of accounts collectively.

For an Apply To Group (Mth 2) Value of "N", this method does not apply to group and the Price Method (Mth 1) Value must be "T", "U" or "V". Each "N" BSC1/2/3/4 Billable Service Code is priced as a single bundle for each account in the group. Hence, volume discounting is performed on each account separately

There are 2 Bnd fields in Price Table attribute
20 Bundle Primary/Secondary (Bnd1): Bundle Primary/Secondary
(Bnd 1) which is a minimum revenue indicator and Bundle
Character (Bnd 2) which is a minimum revenue bundling
indicator.

For a Bundle Primary/Secondary (Bnd 1) Value of
25 blank, bundling for minimum revenue is not applicable for
this BSC1/2/3/4 Billable Service Code.

For a Bundle Primary/Secondary (Bnd 1) Value of "*", Bnd 1 applies to all BSC1/2/3/4 Billable Service Codes. There can be only one BSC1/2/3/4 Billable Service Code in a Price Table Category which uses "*". The pricing result for all BSC1/2/3/4 Billable Service Codes in the Price Table which are not "P" and which are not "S" are totaled into a single bundle. The bundle is then used to compare with the Minimum "0" tier Amount for this BSC1/2/3/4 Billable Service Code. When the bundle is less than the minimum, the pricing result is increased to match the Amount.

For a Bundle Primary/Secondary (Bnd 1) Value of "P", bundling only applies to the primaries in the bundle. There can be only one "P" BSC1/2/3/4 Billable Service Code for a Bundle Character (Bnd 2) bundle. The quantities for this BSC1/2/3/4 Billable Service Code are bundled together with its secondary BSC1/2/3/4 Billable Service Codes. Bundle Character (Bnd 2) is used to match secondary BSC1/2/3/4 Billable Service Codes and their primary BSC1/2/3/4 Billable Service Code into a bundle. The total for bundle is then used to compare with the Minimum "0" tier Amount for this "P" BSC1/2/3/4 Billable Service Code. When the bundled total is less than the Minimum "0" tier Amount, the pricing result is increased to match the Minimum "0" tier Amount.

For a Bundle Primary/Secondary (Bnd 1) Value of "S", bundling only applies to the secondaries in the bundle. The quantity for this "S" BSC1/2/3/4 Billable Service Code and all other "S" BSC1/2/3/4 Billable Service Codes in a bundle are added to the primary's bundle.

For a Bundle Character (Bnd 2) Value of blank, Bundle Primary/Secondary (Bnd 1) Value must be blank or "*". For a Bundle Character (Bnd 2) Value of "0" - "9" and "A" - "Z", Bundle Primary/Secondary (Bnd 1) Value must be "P" or "S".

Cat is as Category shown on the Service Details screen.

Before an update is committed to the database, the data processing system validates the Price Table. The validation is the same as performed for an insert. In order to perform the update the user must first have read the price table.

When the user has entered all required fields and price values for all required BSC1/2/3/4 Billable Service Codes, regardless of how many "Pages" of BSC1/2/3/4 Billable Service Codes are being used or paged between, the full set of prices for that Valid From Date are inserted. Before an insert is committed to the database, the data processing system validates the Price Table.

When deleting the set of prices for the current Price Table, current Valid From Date and current Min Trans Count and if no more prices exist (i.e., for another Valid From Date or Min Trans Count), the Pricing Table name and description are also deleted and the data processing system loses all record of that Price Table.

ApplyToGroup can be set to "N" so that volume discounting can be placed on a Market Segment's Price Table, but the CAA volume is not be grouped for the tiering/threshold determination. Blank is equivalent to "Y".

CostPlus (+) can only be used in a Price Table containing prices (i.e. not in a Price Table containing costs).

Each service within a price table which nominates an Amount is required to have a pricing method. Hence, each price table can have a mixture of pricing methods contained within it. The pricing methods available "out of the box" are: F (Flat Fee), U (UnitPrice or Cost), V (Volume Discount), T (Tiering), + (CostPlus %), M (MinRev), X (MaxRev) and % (TP-% markup of total price).

Each pricing method can be qualified by up to four single character indicators: Pricing Method which is shown on the Price Table screen as Mth (Mth 1), Apply To Group which is shown on the Price Table screen as Mth (Mth 2), Primary/Secondary Flag which is shown on the Price Table screen as Bnd (Bnd 1), and Bundle Character shown on the Price Table screen as Bnd (Bnd 2).

Special groupings can be defined for accounts which causes Cross CAA Bundled Tiering to be used.

Following is a price table with sample prices:

<u>Service</u> <u>Code</u>	<u>Price</u> <u>Method</u>	<u>Apply</u> <u>To</u> <u>Group</u>	<u>Bundling</u> <u>Prim/Sec</u>	<u>Bndl.</u> <u>Char.</u>	<u>Minimum</u>	<u>UnitPrice</u>
DDDDDDDD	+	N/A			1	20.00%
EEEEEEEE	+	N/A			1	15.00%

In the above example, the price for service DDDDDDDD is 120.00% of the cost for that service multiplied by its volume. The price for service EEEEEEEE is 115.00% of the cost for that service multiplied by its volume.

5 Each "+" service can have a different markup. The cost is recorded in the price table's related cost table.

Following is a price table with sample prices:

<u>Service</u> <u>Code</u>	<u>Price</u> <u>Method</u>	<u>Apply</u> <u>To</u> <u>Group</u>	<u>Bundling</u> <u>Prim/Sec</u>	<u>Bndl</u> <u>Char.</u>	<u>Minimum</u>	<u>MinRev or</u> <u>UnitPrice</u>
55555555	F	N			1	\$100.00

10 Flat Fee is charged if Volume is greater than zero. In this example, A Flat Fee of \$100.00 is charged for service 55555555 if its volume is greater than zero.

When ApplyToGroup is "Y" or space and the price applies to a CAA (whether via standard or exception pricing), the Flat Fee is apportioned across the group.

15 Minimum Revenue can be used regardless of service volume or only if there is service volume. Minimum Revenue cannot apply to a CAA or group of accounts. Maximum Revenue (MaxRev) is an opposite to Minimum Revenue (MinRev), i.e., Maximum Revenue defines the maximum which can be charged.

Following are sample prices for a price table:

<u>Service</u> <u>Code</u>	<u>Price</u> <u>Method</u>	<u>Apply</u> <u>To</u> <u>Group</u>	<u>Bundling</u> <u>Prim/Sec</u>	<u>Bndl</u> <u>Char.</u>	<u>Minimum</u>	<u>MinRev or</u> <u>UnitPrice</u>
11111111	M				0	\$50.00
22222222	M		P	A	0	\$25.00
33333333	M		S	A	[0]	[0]
44444444	M		S	A	[0]	[0]

25 Here, Services 22222222, 33333333 and 44444444 are bundled together (by Bndl.Char.) in their minimum revenue determination. The primary (Bundling Prim/Sec = "P") in

the bundle, 22222222, is marked up to satisfy any shortfall in Minimum Revenue.

Following is a Product Rule:

<u>Product</u>	<u>Entity</u>	<u>Apply To</u>	<u>Price</u>	<u>AltAc</u>	<u>Altrnt</u>	<u>MinRev</u>
	<u>Identifier</u>	<u>Scope</u>	<u>tbl</u>	<u>Flag</u>	<u>Acnt</u>	
35	12345678901	ACNT	DFLT	AUTO		A
	2-01DDA					

5

MinRev cannot apply to a CAA or group of accounts.

If the Bundling Primary/Secondary Flag = "*" and Price Table's Pricing Method = "M", then the minimum revenue is compared to the total revenue across all services used by the account/group.

10

Following is an example showing the effect of different Pricing Methods:

<u>Service</u>	<u>Price</u>	<u>Apply</u>	<u>Bundling</u>	<u>Bndl.</u>	<u>Minimum</u>	<u>UnitPrice</u>
<u>Code</u>	<u>Method</u>	<u>To</u>	<u>Prim/Sec</u>	<u>Char.</u>		
		<u>Group</u>				
77777777	T	N			1	\$10.00
					100	\$8.00
					250	\$6.50
88888888	T	N			1	\$7.00
					50	\$6.00
					100	\$5.00
99999999	U	N			1	\$8.00
AAAAAAAA	U	N			1	\$8.00
11223344	T	N			1	\$5.00
					35	\$6.00
22334455	U	N			1	\$8.00
BBBBBBBB	V	Y			1	\$10.00
					100	\$8.00

15

Services 77777777, 88888888 and 11223344 all use Tiering. For service 77777777, the first 99 of its volume for the account is priced at \$10.00 per unit; volume 100 to 249 is priced at \$8.00 per unit, and volume 250 and

above is priced at \$6.50 per unit. For Service 88888888, the first 49 of its volume for the account is priced at \$7.00 per unit; volume 50 to 99 is priced at \$6.00 per unit; and volume 100 and above is priced at \$5.00 per unit. For service 11223344, the first 34 of its volume for the account is priced at \$5.00 per unit and volume 35 and above is priced at \$6.00 per unit.

Services 99999999, AAAAAAAA and 22334455 use UnitPrice or Cost. All volume is priced at \$8.00 per unit for these services.

Service BBBB BBBB uses volume discount. For service BBBB BBBB, if its combined volume for the group of accounts (note, "apply to group" = Y) exceeds 99, all its volume is priced at \$8.00 per unit (all its activities because method is "V", being volume discount instead of tiered). Otherwise, all its volume is priced at \$10.00 per unit.

Special groupings can be defined for account + service combinations which causes Cross CAA Bundled Tiering to be used. A Product Rule is required for each of the accounts to be included in the Cross CAA Bundled Tiering. Each account is defined as an Entity Name/Num. Apply To is "ACNT". Scope is the service. Price Tbl Name is the same for all the special group. Special Group is "Y".

Following are sample Product Rules:

<u>Product</u>	<u>Entity</u> <u>Name/Num</u>	<u>Apply</u> <u>To</u>	<u>Scope</u>	<u>Price</u> <u>Tbl</u> <u>Name</u>	<u>SpclGrp</u>
35	111111111111 -01DDA	ACNT	11111111	JLB1	Y
35	111111111111 -01DDA	ACNT	22222222	JLB1	Y
35	222222222222 -01DDA	ACNT	11111111	JLB1	Y

Price table JLB1 would be set up as Schema "BNDL" as follows:

<u>Service</u> <u>Code</u>	<u>Price</u> <u>Method</u>	<u>Apply</u> <u>To</u> <u>Group</u>	<u>Bundling</u> <u>Prim/Sec</u>	<u>Bndl.</u> <u>Char.</u>	<u>Minimum</u>	<u>Unit</u> <u>Price</u>
11111111	T				1	\$1.00
	T				21	\$0.90
	T				31	\$0.80
22222222	T				1	\$1.00
	T				21	\$0.90
	T				31	\$0.80

Each different service in the bundle must have entries with identical prices, methods, and at all tiers.

- 5 The above Price Method could just as easily be a "V", if Volume Discount were to be used instead of Tiered.

Following are sample service volumes:

<u>CAA</u>	<u>Account Number</u>	<u>Service</u>	<u>Volume</u>
A	111111111111-01DDA	1111111	10
		2222222	5
B	222222222222-01DDA	1111111	21

- 10 Following are applicable tiered discount prices:

<u>Tier</u>	<u>Service</u>	<u>Minimum</u>	<u>Price</u>
1	1111111 bundled with 2222222	1	1.00
2		21	0.90
3		31	0.80

Total Volume for services 1111111 and 2222222 = 10 +
5 + 21 = 36

- 15 Following are sample calculations for Tiering:

Total Revenue =	[TIER 1]	20 X 1.00	= 20.00
	[TIER 2]	10 X 0.90	= 9.00
	[TIER 3]	6 X 0.80	= 4.80
	total		= 33.80

Following is a sample apportioning:

<u>CAA</u>	<u>DDA</u>	<u>SERVICE</u>	<u>VOL</u>	<u>CALCULATION</u>	<u>REVENUE</u>	<u>TOTAL</u>
A	1	11111111	10	33.80 X 10 / 36	9.39	
		22222222	5	33.80 X 5 / 36	4.69	
B	2	11111111	21	33.80 X 21 / 36	19.72	
						33.80

5

For account + service combinations, the bundled prices need to be apportioned back to the accounts. This requires knowledge of the bundled volumes, by service across the accounts in each bundle. The data processing system obtains this information in 2 steps. The first step is performed by the Activity Load and the second step is performed by the Pre Billing Bundler.

10

Billing would process each account + service in the activity table individually, using the same formula each time: Apportioned Rev = [Total Group Rev based on GroupVol & Tier-Vol] x BillVol / GrpVol. Note that the GroupVol is only used by pricing if the Product Rule's Special Group = "Y".

15

The various embodiments of the methods and structures of this invention that are described above are illustrative only of the principles of this invention and are not intended to limit the scope of the invention to the particular embodiments described. In view of this disclosure, those skilled-in-the-art can define other product rules, price tables and billing methods, and use these alternative features to create a method, circuit, or system according to the principles of this invention.

20

25

CLAIMS

I claim:

1. A method for pricing financial transactions,
said method comprising:

5 creating a plurality of product rules related to said
financial transactions, said product rules include a first
attribute;

creating a plurality of price tables, said price
tables linked to said product rules by said first
10 attribute, said price tables comprise a second attribute;
and

calculating a plurality of prices based on said
second attribute for said financial transactions.

15 2. The method of Claim 1, wherein said price table
includes a third attribute, said third attribute
comprising a billing method.

20 3. The method of Claim 1, wherein said product
rules comprise:
a first portion comprising the name of said product
rule;

a second portion comprising the status of said
25 product rule;

a third portion comprising information regarding
pricing and billing, said third portion including said
first attribute and said second attribute; and

a fourth portion comprising display only information.
30

4. The method of Claim 1, wherein said first
attribute comprises a price table name.

35 5. The method of Claim 1, wherein said second
attribute comprises a pricing method.

6. The method of Claim 5, wherein said pricing
method is flat fee.

7. The method of Claim 5, wherein said pricing method is unit price.

9. The method of Claim 5, wherein said pricing method is volume discount.

10. The method of Claim 5, wherein said pricing method is tiering.

11. The method of Claim 5, wherein said pricing method is cost plus.

13. The method of Claim 5, wherein said pricing method is maximum revenue.

15. The method of Claim 5, wherein said pricing method is bundled pricing.

16. The method of Claim 5, wherein said pricing method is Cross CAA Bundled Tiering.

product rules prior to committing said product rules to a database.

19. The method of Claim 1, wherein said product
5 rules comprise a default product rule.

20. The method of Claim 1, wherein said price table
contains prices.

10 21. The method of Claim 1, wherein said price table
contains costs.

15 22. The method of Claim 1, wherein said price table
contains negative values.

23. A data processing system for pricing financial
transactions, said data processing system comprising:
means for creating a product rule, said product rule
comprises a plurality of mandatory attributes and a
20 plurality of optional attributes;
means for creating a price table;
means for creating a link between said product rule
and said price table; and
means for calculating a price for said financial
25 transaction based on said product rule and said price
table.

24. The data processing system of Claim 23, further
comprising means for billing.

30 25. The data processing system of Claim 23, wherein
means for creating a product rule comprises:

means for creating a first information, said first
information being the name of said product rule;
35 means for creating a second information, said second
information being the status of said product rule;

means for creating a third information, said third information being how pricing and billing is to be performed; and

5 means for creating a fourth information, said fourth information being display only information.

10 26. The data processing system of Claim 23, further comprising means for creating an identifier for said product rule using said mandatory attributes.

27. The data processing system of Claim 26, further comprising means for looking up said optional attributes using said identifier.

15 28. The data processing system of Claim 23, further comprising means for applying validation rules to validate said product rules before committing said product rules to a database.

20 29. The data processing system of Claim 23, further comprising means for creating a default product rule.

DATA PROCESSING SYSTEM FOR PRICING,
COSTING AND BILLING OF FINANCIAL TRANSACTIONS

Robert A. Foster

5

ABSTRACT OF THE DISCLOSURE

The present invention provides methods and systems for pricing financial transactions by defining product rules, providing links to appropriate price tables, and calculating a price for a financial transaction. A data processing system in accordance with one embodiment of the present invention, creates a product rule corresponding to a financial transaction. The product rule contains mandatory attributes and optional attributes. Optional attributes may be looked up using identifiers constructed from said mandatory attributes. Optional attributes include a link to a price table which contains further attributes, including a pricing method. A price is then calculated in accordance with the pricing method. Billing is completed according to the billing method for the particular financial transaction.

DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below adjacent to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of subject matter (process, machine, manufacture, or composition of matter, or an improvement thereof) which is claimed and for which a patent is sought by way of the application entitled Data Processing System For Pricing, Costing And Billing Of Financial Transactions

which (check) ☒ is attached hereto.

☐ and is amended by the Preliminary Amendment attached hereto.

☐ was filed on _____ as Application Serial No. _____

☐ and was amended on ____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information, which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
Number	Country	Day/Month/Year Filed	Yes	No
N/A			<input type="checkbox"/>	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Provisional Application Number	Filing Date
N/A	

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information, which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
N/A		

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith:

Alan H. MacPherson (24,423); Thomas S. MacDonald (17,774); Kenneth E. Leeds (30,566); Brian D. Ogonowsky (31,988); David W. Heid (25,875); Norman R. Klivans (33,003); Edward C. Kwok (33,938); David E. Steuber (25,557); Michael Shenker (34,250); Stephen A. Terrile (32,946); Peter H. Kang (40,350); Ronald J. Meetin (29,089); Ken John Koestner (33,004); Omkar K. Suryadevara (36,320); David T. Millers (37,396); Kent B. Chambers (38,839); Serge J. Hodgson (40,017); Michael P. Adams (34,763); Bernard Berman (37,279); Michael J. Halbert (40,633); Gary J. Edwards (41,008); William B. Tiffany (41,347); James E. Parsons (34,691); Daniel P. Stewart (41,332); Philip W. Woo (39,880); John T. Winburn (26,822); Tom Chen (42,406); Fabio E. Marino (43,339); William W. Holloway (26,182); Elaine H. Lo (41,158); Don C. Lawrence (31,975); Marc R. Ascolese (42,268); Carmen C. Cook (42,433); David G. Dolezal (41,711); Adrian J. Lee (42,785); Michael P. Noonan (42,038); Roberta P. Saxon (43,087); Bernice Chen (42,403); Mary Jo Bertani (42,321); and Dale R. Cook (42,434).

Please address all correspondence and telephone calls to:

Edward C. Kwok
Attorney for Applicant(s)
SKJERVEN, MORRILL, MacPHERSON, FRANKLIN & FRIEL LLP
25 Metro Drive, Suite 700
San Jose, California 95110-1349

Telephone: 408-453-9200
Facsimile: 408-453-7979

I declare that all statements made herein of my own knowledge are true, all statements made herein on information and belief are believed to be true, and all statements made herein are made with the knowledge that whoever, in any matter within the jurisdiction of the Patent and Trademark Office, knowingly and willfully falsifies, conceals, or covers up by any trick, scheme, or device a material fact, or makes any false, fictitious or fraudulent statements or representations, or makes or uses any false writing or document knowing the same to contain any false, fictitious or fraudulent statement or entry, shall be subject to the penalties including fine or imprisonment or both as set forth under 18 U.S.C. 1001, and that violations of this paragraph may jeopardize the validity of the application or this document, or the validity or enforceability of any patent, trademark registration, or certificate resulting therefrom.

Full name of sole (or first joint) inventor: Robert A. Foster

Inventor's Signature: 

Date: October 24, 1998

Residence: Jersey City, New Jersey

Post Office Address: 501 Manila Avenue
Jersey City, New Jersey 07302

Citizenship: Australian